

**Amendments To Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A copyright protection system comprising:
  - an ~~e~~contents encryption device and a ~~e~~contents decryption device, wherein cryptographic communication is performed between the ~~e~~contents encryption device and the ~~e~~contents decryption device using a contents encryption key and a contents decryption key,
  - wherein the ~~e~~contents encryption device includes
    - a contents storage section for storing contents,
    - a first contents key generation section for generating the contents encryption key based on a second decryption limitation obtained by updating a first decryption limitation, and
    - a first encryption section for encrypting the contents using the contents encryption key and outputting the encrypted contents, and
  - wherein the ~~e~~contents decryption device includes
    - a second contents key generation section for generating the contents decryption key from the second decryption limitation, and
    - a first decryption section for decrypting the encrypted contents using the contents decryption key generated by the second contents key generation section, wherein the contents decryption key is not required to be encrypted or decrypted by the decryption device, and
  - wherein the ~~e~~contents encryption device further includes a third encryption section for encrypting the first decryption limitation using a time-varying key and outputting a second encrypted decryption limitation to the ~~e~~contents decryption device, and the ~~e~~contents decryption device further includes a third decryption section for decrypting the second encrypted decryption limitation transferred from the third encryption section using the time-varying key and outputting the first decryption limitation.
2. (Currently Amended) A copyright protection system according to claim 1,
  - wherein the ~~e~~contents decryption device further includes
    - a decryption limitation updating section for updating the first decryption limitation to the second decryption limitation in accordance with a decryption limitation updating rule,

wherein a second encryption section for encrypting the second decryption limitation using a time-varying key, and outputting the first encrypted decryption limitation,

wherein the ~~contents~~ encryption device further includes a second decryption section for decrypting the first encrypted decryption limitation transferred from the second encryption section using the time-varying key to generate the second decryption limitation,

wherein the time-varying key is not required to be transmitted to the ~~contents~~ decryption device; and

wherein the first contents key generation section generates the contents encryption key based on the second decryption limitation generated by the second decryption section.

3. (Currently Amended) A copyright protection system according to claim 2,

wherein the ~~contents~~ encryption device further includes

a first common key storage section for storing a common key,

a decryption limitation storage section for storing the first decryption limitation,

a first random number generation section for generating a first random number,

a first mutual authentication section for performing mutual authentication in association with the ~~contents~~ decryption device using the first random number, and a second random number transferred from the decryption device, and

a first time-varying key generation section for generating the time-varying key using the first random number and the second random number in response to the authentication by the first mutual authentication section, and

wherein the ~~contents~~ decryption device further includes

a second common key storage section for storing the common key,

a second random number generation section for generating the second random number,

a second mutual authentication section for performing mutual authentication in association with the ~~contents~~ encryption device using the second random number and the first random number, and

a second time-varying key generation section for generating the time-varying key using the second random number and the first random number in response to the authentication by the second mutual authentication section.

4. (Currently Amended) A copyright protection system according to claim 1,  
wherein the ~~contents~~ decryption device further includes a first decryption limitation  
updating section for updating the first decryption limitation to the second decryption limitation in  
accordance with a decryption limitation updating rule, and  
a second contents key generation section for generating the contents decryption key based  
on the second decryption limitation updated by the first decryption limitation updating section,  
wherein the ~~contents~~ encryption device further includes a second decryption limitation  
updating section for updating the first decryption limitation to the second decryption limitation in  
accordance with the decryption limitation updating rule in response to the updating of the first  
decryption limitation by the first decryption limitation updating section,  
the first contents key generation section generates the contents encryption key based on  
the second decryption limitation updated by the first decryption limitation updating section.
5. (Currently Amended) A copyright protection system according to claim 4,  
wherein the ~~contents~~ encryption device further includes  
a first common key storage section for storing a common key,  
a decryption limitation storage section for storing the first decryption limitation,  
a first random number generation section for generating a first random number,  
a first mutual authentication section for performing mutual authentication in association  
with the ~~contents~~ decryption device using the first random number, and a second random number  
transferred from the ~~contents~~ decryption device, and  
a first time-varying key generation section for generating a time-varying key using the  
first random number and the second random number in response to the authentication by the first  
mutual authentication section, wherein the time-varying key is not required to be transmitted to  
the ~~contents~~ decryption device, and  
wherein the ~~contents~~ decryption device further includes  
a second common key storage section for storing the common key,  
a second random number generation section for generating the second random number,  
a second mutual authentication section for performing mutual authentication in  
association with the contents encryption device using the second random number and the first  
random number, and

a second time-varying key generation section for generating the time-varying key using the second random number and the first random number in response to the authentication by the second mutual authentication section.

6. (Original) A copyright protection system according to claim 5,  
wherein the second decryption limitation updating section updates the first decryption limitation to the second decryption limitation in advance,  
the first contents key generation section generates the contents key from the second decryption limitation, and  
the second decryption limitation updating section stores the second decryption limitation in the decryption limitation storage section in response to the start of processing by the first encryption section.
7. (Original) A copyright protection system according to claim 3,  
wherein the first and second time-varying key generation sections generate the time-varying key based on the first and second random numbers and the common key.
8. (Previously Presented) A copyright protection system according to claim 3,  
wherein the first and second contents key generation sections generate the contents encryption key and the contents decryption key based on the second decryption limitation and the time-varying key.
9. (Currently Amended) A copyright protection system according to claim 3,  
wherein the ~~e~~ontents encryption device and the ~~e~~ontents decryption device further include respective first and second data sequence key generation sections for generating a data sequence key based on a data sequence input to or output from the ~~e~~ontents encryption device and the ~~e~~ontents decryption device, and  
wherein the first and second time-varying key generation sections generate the time-varying key based on the first and second random numbers and the respective data sequence key.

10. (Currently Amended) A copyright protection system according to claim 3,  
wherein the ~~contents~~ encryption device and the ~~contents~~ decryption device further include  
respective first and second data sequence key generation sections for generating a data sequence  
key based on a data sequence input to or output from the ~~contents~~ encryption device and the  
~~contents~~ decryption device, and

wherein the first and second time-varying key generation sections generate the time-  
varying key based on the first and second random numbers, the common key, and the respective  
data sequence key.

11. (Currently Amended) A copyright protection system according to claim 3,  
wherein the ~~contents~~ encryption device and the ~~contents~~ decryption device further include  
respective first and second data sequence key generation sections for generating a data sequence  
key based on a data sequence input to or output from the ~~contents~~ encryption device and the  
~~contents~~ decryption device, and

wherein the first and second contents key generation sections generate the respective  
contents encryption key and contents decryption key based on the second decryption limitation  
and the respective data sequence key.

12. (Currently Amended) A copyright protection system according to claim 3,  
wherein the ~~contents~~ encryption device and the contents decryption device further include  
respective first and second data sequence key generation sections for generating a data sequence  
key based on a data sequence input to or output from the ~~contents~~ encryption device and the  
contents decryption device, and

wherein the first and second contents key generation section generate the respective  
contents encryption key and contents decryption key based on the second decryption limitation,  
the time-varying key, and the respective data sequence key.

13. (Currently Amended) A copyright protection system according to claim 3,  
wherein the first and second mutual authentication sections mutually authenticate the  
~~contents~~ decryption device and the ~~contents~~ encryption device, respectively, by communication  
in accordance with a challenge-response type authentication protocol.

14. (Currently Amended) An encryption device for performing cryptographic communication in association with a decryption device using a contents encryption key, comprising:

a contents storage section for storing contents;

a second encryption section for encrypting the first decryption limitation using a time-varying key and outputting a second encrypted decryption limitation to the decryption device, without transmitting the time-varying key to the decryption device;

a contents key generation section for generating the contents encryption key based on a second decryption limitation obtained by updating a first decryption limitation; and

a first encryption section for encrypting the contents using the contents encryption key and outputting the encrypted contents.

15. (Currently Amended) An encryption device according to claim 14, further including a decryption section for decrypting the first encrypted decryption limitation transferred from the decryption device using the time-varying key to generate the second decryption limitation, and

the contents key generation section generates the contents encryption key based on the second decryption limitation generated by the decryption device.

16. (Previously Presented) An encryption device according to claim 15, further including a common key storage section for storing a common key,

a decryption limitation storage section for storing the first decryption limitation,

a first random number generation section for generating a first random number,

a mutual authentication section for performing mutual authentication in association with the decryption device using the first random number, and a second random number transferred from the decryption device, and

a time-varying key generation section for generating the time-varying key using the first random number and the second random number in response to the authentication by the mutual authentication section.

17. (Currently Amended) An encryption device according to claim 14, further including a decryption limitation updating section for updating the first decryption limitation to the second

decryption limitation in accordance with a decryption limitation updating rule in response to the updating of a decryption limitation by the decryption device,

wherein the contents key generation section generates the contents encryption key based on the second decryption limitation obtained by the decryption limitation updating section.

18. (Previously Presented) An encryption device according to claim 17, further including a common key storage section for storing a common key, a decryption limitation storage section for storing the first decryption limitation, a first random number generation section for generating a first random number, a mutual authentication section for performing mutual authentication in association with the decryption device using the first random number, and a second random number transferred from the decryption device, and

a time-varying key generation section for generating the time-varying key using the first random number and the second random number in response to the authentication by the mutual authentication section.

19. (Currently Amended) An encryption device according to claim 17, wherein:  
the decryption limitation updating section updates the first decryption limitation to the second decryption limitation in advance;  
the decryption limitation updating section outputs the second decryption limitation to the contents key generation section;  
the contents key generation section generates the contents encryption key from the second decryption limitation; and  
the decryption limitation updating section stores the second decryption limitation in the decryption limitation storage section in response to the start of processing by the first encryption section.

20. (Original) An encryption device according to claim 16, wherein the time-varying key generation section generates the time-varying key based on the first and second random numbers and the common key.

21. (Currently Amended) An encryption device according to claim 16, wherein the contents key generation section generates the contents encryption key based on the second decryption limitation and the time-varying key.

22. (Original) An encryption device according to claim 16, further including a data sequence key generation section for generating a data sequence key based on a data sequence input to or output from the encryption device, the time-varying key generation section generates the time-varying key based on the first and second random numbers and the data sequence key.

23. (Original) An encryption device according to claim 16, further including a data sequence key generation section for generating a data sequence key based on a data sequence input to or output from the encryption device,

wherein the time-varying key generation section generates the time-varying key based on the first and second random numbers, the common key, and the data sequence key.

24. (Currently Amended) An encryption device according to claim 16, further including a data sequence key generation section for generating a data sequence key based on a data sequence input to or output from the encryption device,

wherein the contents key generation section generates the contents encryption key based on the second decryption limitation and the data sequence key.

25. (Currently Amended) An encryption device according to claim 16, further including a data sequence key generation section for generating a data sequence key based on a data sequence input to or output from the encryption device,

wherein the contents key generation section generates the contents encryption key based on the second decryption limitation, the time-varying key, and the data sequence key.

26. (Previously Presented) A decryption device for performing cryptographic communication in association with an encryption device using a contents decryption key, comprising:



a second decryption section for decrypting a second encrypted decryption limitation transferred from the encryption device using a time-varying key and outputting a first decryption limitation;

a decryption limitation updating section for updating the first decryption limitation to a second decryption limitation in accordance with a decryption limitation updating rule;

a contents key generation section within the decryption device for generating the contents decryption key from the second decryption limitation, wherein the contents decryption key is not required to be transferred to or from the encryption device and is not required to be encrypted or decrypted; and

a first decryption section for decrypting encrypted contents using the contents decryption key generated by the contents key generation section.

27. (Previously Presented) A decryption device according to claim 26, further including an encryption section for encrypting the second decryption limitation using the time-varying key, and outputting the first encrypted decryption limitation.

28. (Previously Presented) A decryption device according to claim 27, further including a common key storage section for storing a common key,  
a random number generation section for generating a second random number,  
a mutual authentication section for performing mutual authentication in association with the encryption device using the second random number and a first random number, and  
a time-varying key generation section for generating the time-varying key using the second random number and the first random number in response to the authentication by the mutual authentication section.

29. (Previously Presented) A decryption device according to claim 26, further including a contents key generation section for generating the contents decryption key based on the second decryption limitation updated by the decryption limitation updating section.

30. (Previously Presented) A decryption device according to claim 29, further including a second common key storage section for storing the common key,

a second random number generation section for generating the second random number,  
a mutual authentication section for performing mutual authentication in association with the encryption device using the second random number and a first random number, and  
a time-varying key generation section for generating the time-varying key using the second random number and the first random number in response to the authentication by the mutual authentication section.

31. (Original) A decryption device according to claim 28, wherein the time-varying key generation section generates the time-varying key based on the first and second random numbers and the common key.

32. (Previously Presented) A decryption device according to claim 28, wherein the contents key generation section generates the contents decryption key based on the second decryption limitation and the time-varying key.

33. (Original) A decryption device according to claim 28, further including a data sequence key generation section for generating a data sequence key based on a data sequence input to or output from the decryption device,  
wherein the time-varying key generation section generates the time-varying key based on the first and second random numbers and the data sequence key.

34. (Original) A decryption device according to claim 28, further including a data sequence key generation section for generating a data sequence key based on a data sequence input to or output from the decryption device,  
wherein the time-varying key generation section generates the time-varying key based on the first and second random numbers, the common key, and the data sequence key.

35. (Previously Presented) A decryption device according to claim 28, further including a data sequence key generation section for generating a data sequence key based on a data sequence input to or output from the decryption device,

wherein the contents key generation section generates the contents decryption key based on the second decryption limitation and the data sequence key.

36. (Previously Presented) A decryption device according to claim 28, further including a data sequence key generation section for generating a data sequence key based on a data sequence input to or output from the decryption device,

wherein the contents key generation section generates the contents decryption key based on the second decryption limitation, the time-varying key, and the data sequence key.

37. (Currently Amended) A recording medium storing a program for use in causing a computer to perform cryptographic communication with an encryption device using a contents decryption key, wherein;

the program causes the computer to function as:

a second decryption section for decrypting a second encrypted decryption limitation transferred from the encryption device using a time-varying key and outputting a first decryption limitation;

a decryption limitation updating section for updating the first decryption limitation to a second decryption limitation in accordance with a decryption limitation updating rule;

a contents key generation section for generating a the contents decryption key from the second decryption limitation, wherein the contents decryption key is not required to be transferred to or from the encryption device and is not required to be encrypted or decrypted; and

a first decryption section for decrypting encrypted contents using the contents decryption key generated by the contents key generation section.

38. (Previously Presented) A recording medium according to claim 37, wherein the program causes the computer to further function as:

an encryption section for encrypting the second decryption limitation using the a time-varying key, and outputting a first encrypted decryption limitation, wherein the time-varying key is not required to be transferred between the computer and the encryption device.

39. (Previously Presented) A recording medium according to claim 38, wherein the program causes the computer to further function as:

- a common key storage section for storing a common key;
- a random number generation section for generating a second random number;
- a mutual authentication section for performing mutual authentication in association with the encryption device using the second random number and a first random number; and
- a time-varying key generation section for generating the time-varying key using the second random number and the first random number in response to the authentication by the mutual authentication section.

40. (Currently Amended) A recording medium according to claim 37, wherein:

- the program causes the computer to further function as a contents key generation section for generating the contents decryption key based on the second decryption limitation obtained by the decryption limitation updating section.

41. (Previously Presented) A recording medium according to claim 40, wherein the program causes the computer to further function as:

- a second common key storage section for storing the common key;
- a second random number generation section for generating the second random number;
- a mutual authentication section for performing mutual authentication in association with the encryption device using the second random number and a first random number; and
- a time-varying key generation section for generating the time-varying key using the second random number and the first random number in response to the authentication by the mutual authentication section, wherein the time-varying key is not required to be transferred to or from the computer.

42. (Original) A recording medium according to claim 39, wherein the time-varying key generation section generates the time-varying key based on the first and second random numbers and the common key.

43. (Currently Amended) A recording medium according to claim 39, wherein the contents key generation section generates the contents decryption key based on the second decryption limitation and the time-varying key.

44. (Original) A recording medium according to claim 39, wherein:  
the program causes the computer to further function as a data sequence key generation section for generating a data sequence key based on a data sequence input to or output from a decryption device; and  
the time-varying key generation section generates the time-varying key based on the first and second random numbers and the data sequence key.

45. (Original) A recording medium according to claim 39, wherein:  
the program causes the computer to further function as a sequence key generation section for generating a data sequence key based on a data sequence input to or output from a decryption device; and  
the time-varying key generation section generates the time-varying key based on the first and second random numbers, the common key, and the data sequence key.

46. (Currently Amended) A recording medium according to claim 39, wherein:  
the program causes the computer to further function as a data sequence key generation section for generating a data sequence key based on a data sequence input to or output from a decryption device; and  
the contents key generation section generates the contents decryption key based on the second decryption limitation and the data sequence key.

47. (Currently Amended) A recording medium according to claim 39, wherein;  
the program causes the computer to further function as a data sequence key generation section for generating a data sequence key based on a data sequence input to or output from a decryption device; and  
the contents key generation section generates the contents decryption key based on the second decryption limitation, the time-varying key, and the data sequence key.

48. (Previously Presented) A copyright protection system according to claim 1, wherein the first and second contents key generation sections generate the contents encryption key and the contents decryption key by using an algorithm which uses the second decryption limitation as an input.

49. (Previously Presented) A copyright protection system according to claim 48, wherein the algorithm is a one-way function.

50. (Currently Amended) A copyright protection system according to claim 1, wherein neither the contents encryption key nor the contents decryption key is required to be transmitted between the ~~contents~~ encryption device and the contents decryption device, and wherein the time-varying key is not required to be transmitted between the encryption device and the decryption device.